

**Amendment to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of the Claims**

Claim 1 (currently amended): A method of managing consent between a client and a network server, said client and said network server being coupled to a data communication network, said network server providing a service to a user via the client, said client operating a browser configured to permit the user to communicate on the data communication network, said method comprising:

- maintaining a user profile associated with the user;
- receiving a request from the service provided by the network server for user information associated with the user and for consent to use the requested user information;
- determining, in response to the request for consent, if the requested user information is included in the user profile;
- providing a user interface via the browser to collect the requested user information that is not included in the user profile from the user;
- receiving the user information provided by the user via the user interface;
- updating the user profile with the received user information; and
- allowing access by the service to the received user information.

Claim 2 (canceled).

Claim 3 (original): The method of claim 1, further comprising allowing, in response to the request for consent, access by the service to the requested user information if the user information is included in the user profile.

Claim 4 (original): The method of claim 1, wherein the user profile is being maintained by a central server, said central server being coupled to the data communication network, and wherein the user interface is being provided by the central server and displays user information previously included in the user profile.

Claim 5 (original): The method of claim 1, wherein the user interface displays a user-selectable option for viewing intention information associated with the requested user information, said intention information describing how the requested user information will be used by the service provided by the network server.

Claim 6 (original): The method of claim 5, further comprising providing an intention user interface via the browser for displaying the intention information, said intention user interface being provided in response to the user-selectable option being selected by the user.

Claim 7 (original): The method of claim 6, wherein said intention user interface further displays retention information associated with the requested user information, said retention information specifying how long the requested user information will be retained by the service provided by the network server.

Claim 8 (original): The method of claim 6, wherein the service provided by the network server is a member of a policy group, and wherein said intention user interface further displays a list of members of said policy group.

Claim 9 (original): The method of claim 8, wherein said intention user interface further displays a second user-selectable option for viewing a privacy policy associated with said policy group, said privacy policy relating to how user information that the policy group is granted consent to use is to be protected.

Claim 10 (original): The method of claim 9, further comprising providing a policy user interface via the browser for displaying the privacy policy, said policy user interface being provided in response to the second user-selectable option being selected by the user.

Claim 11 (original): The method of claim 1, wherein the service provided by the network is granted consent to use user information included in the user profile.

Claim 12 (original): The method of claim 11, further comprising providing a revocation user interface via the browser for allowing the user to revoke consent for the service provided by the network server to use the user information included in the user profile, said revocation user interface displaying a list of services for which the user has granted consent to use the user information included in the user profile.

Claim 13 (original): The method of claim 12, wherein said revocation user interface further displays a user-selectable option for revoking consent for the service provided by the network server to use the user information included in the user profile.

Claim 14 (original): The method of claim 13, further comprising revoking consent for the service provided by the network server to use the user information included in the user profile in response to the user-selectable option being selected by the user.

Claim 15 (original): The method of claim 1, further comprising providing an administrator user interface to a responsible person of the user in response to said receiving the user information provided by the user, said another user interface allowing the responsible person of the user to grant consent for the service provided by the network server to use the received user information.

Claim 16 (original): The method of claim 15, wherein said allowing access by the service to the received user information comprises allowing access by the service to the received user information if consent for the service to use the received user information is granted by said responsible person.

Claim 17 (original): The method of claim 15, wherein said responsible person is a parent of the user.

Claim 18 (currently amended): The method of claim 1, wherein one or more computer-readable storage media have computer-executable instructions for performing the method recited in claim

Claim 19 (currently amended): An authentication system comprising:

an authentication server coupled to a data communication network, said authentication server including processor for executing computer-executable instructions;

an authentication database associated with the authentication server, said authentication database being configured to execute computer-executable instructions for store-storing authentication information for comparison to login information provided by a user for authenticating the user, said authentication database further being configured to execute computer-executable instructions for store-storing user-specific information identifying the user with respect to one or more services provided by ~~at least one~~ a plurality of affiliate servers coupled to the data communication network, said affiliate servers each being configured to execute computer-executable instructions for provide-providing the one or more services to the user via a client coupled to the data communication network;

said authentication server being configured to to execute computer executable instructions ~~for to~~ receive[[e]]ing a first request from the user for a service to be provided by ~~the a first~~ affiliate server, said second affiliate server being one of the plurality of affiliate servers, said authentication server further being configured to execute computer executable instructions for authenticate-authenticating the user responsive to the request when login information retrieved from the user via the data communication network matches the authentication information stored in the authentication database;

said authentication server being further configured to execute computer executable instructions for maintaining a user profile storing the user-specific information, said user profile comprising a plurality of profile attributes, to receive a first request from the requested service for ~~user-information a first profile attribute~~ associated with the profile of the user and consent to use the requested ~~user-information first profile attribute wherein the consent is limited to the first service, to determin~~[[e]]ing if the requested ~~user-information first profile attribute~~ is stored in the user profile in response to the first request for consent; and

said authentication server being further configured to execute computer executable instructions for provide-providing a user interface to collect the requested ~~user-information first profile attribute~~ that is not stored in the user profile from the user, ~~to receive-receiving the first profile attribute user-information~~ provided by the user via the user interface in response, and to allowing access by the requested service to the received first profile attribute user information; and

said authentication server being further configured to execute computer executable instructions for updating the user profile with the received first profile attribute;

wherein the authentication server being configured to execute computer executable instructions for receiving a second request from the user for a second service to be provided by a second affiliate server, said second affiliate server being one of the plurality of affiliate servers, said authentication server further being configured to execute computer executable instructions for authenticating the user responsive to the second request when login information retrieved from the user via the data communication network matches the authentication information stored in the authentication database;

the authentication server is configured to execute computer executable instructions for receiving a request from the requested second service for a second profile attribute associated with the profile of the user and consent to use the requested second profile attribute wherein the consent is limited to the second service, to determine if the requested second profile attribute is stored in the user profile in response to the request for consent;

said authentication server being further configured to execute computer executable instructions for providing a user interface to collect the requested second profile attribute that is not stored in the user profile from the user, receiving the second profile attribute provided by the user via the user interface in response, and allowing access by the requested second service to the received second profile attribute; and

said authentication server being further configured to execute computer executable instructions for updating the user profile with the received second profile attribute.

Claim 20 (canceled).

Claim 21 (currently amended): The system of claim 19, wherein the authentication server is configured to execute computer executable instructions for allowing, in response to the first request for consent, access by the requested service to the requested first profile attribute ~~user information~~ if the first profile user information is attribute is stored in the user profile.

Claim 22 (original): The system of claim 19, wherein the user interface provided by the authentication server displays the user-specific information previously stored in the user profile.

Claim 23 (currently amended): The system of claim 19, wherein the user interface provided by the authentication server displays a user-selectable option for viewing intention information associated with the requested first profile attribute user information, said intention information describing how the requested first profile attribute user information will be used by the requested service.

Claim 24 (currently amended): The system of claim 23, wherein the authentication server is configured to execute computer executable instructions for provide-providing an intention user interface for displaying the intention information, said intention user interface being provided by the authentication server in response to the user-selectable option being selected by the user.

Claim 25 (currently amended): The system of claim 24, wherein said intention user interface further displays retention information associated with the requested first profile attribute user information, said retention information specifying how long the requested first profile attribute user information will be retained by the requested service.

Claim 26 (original): The system of claim 24, wherein the requested service is a member of a policy group, and wherein said intention user interface further displays a list of members of said policy group.

Claim 27 (currently amended): The system of claim 19, wherein the requested service is granted consent to use the user-specific information stored in the user profile.

Claim 28 (currently amended): The system of claim 27, wherein the authentication server is configured to execute computer executable instructions for provide-providing a revocation user interface for allowing the user to revoke consent for the requested service to use the user-specific information stored in the user profile, said revocation user interface displaying a list of services that the user has granted consent to use the user-specific information stored in the user profile.

Claim 29 (currently amended): The system of claim 28, wherein said revocation user interface further displays a user-selectable option for revoking consent for the requested service to use the user-specific information stored in the user profile wherein the authentication server is configured to execute computer-executable instructions for to revoke consent for the requested service to use the user-specific information stored in the user profile in response to the use-selectable option being selected by the user.

Claim 30 (canceled).

Claim 31 (currently amended): The system of claim 19, wherein the authentication server is configured to execute computer executable instructions for provide-providing an administrator user interface to a responsible person of the user in response to the received first profile attribute user information, said administrator user interface allowing the responsible person of the user to grant consent for the requested service to use the received first profile attribute user information.

Claim 32 (currently amended): The system of claim 31, wherein the authentication server is configured to execute computer executable instructions for allowing access by the requested service to the received first profile attribute user information if consent for the requested service to use the received first profile attribute user information is granted by said responsible person.

Claim 33 (currently amended): One or more computer-readable storage media having computer-executable components for managing consent between a client and at least one network server, said client and said network server being coupled to a data communication network, said network server providing a plurality of service-services to a user via the client, said services being members of a policy group, said computer-readable media comprising:

- a profiling component for storing user-specific information associated with the user;
- a consent component for receiving a request from ~~the~~ a first service provided by the network server for user information associated with the user and for consent to use the requested user information, said first service being a member of a first policy group, said consent component further determining if the requested user information is stored in the profiling component in response to the request for consent;

a user interface component for collecting the requested user information that is not included in the profiling component from the user; and

wherein the consent component is configured to receive the requested user information provided by the user via the user interface component; to store the received user information in the profiling component; and to allow access by the to each member service of the first policy group to the received user information; and to deny access by each service which is not a member of the first policy group to the received user information.

Claim 34 (canceled).

Claim 35 (currently amended): The computer-readable storage media of claim 33, wherein the user interface component is configured to display the user-specific information previously stored in the profiling component.

Claim 36 (currently amended): The computer-readable storage media of claim 33, further comprising a reviewing component for displaying intention information associated with the user information, said intention information describing how the user information will be used by the first service provided by the network server.

Claim 37 (currently amended): The computer-readable storage media of claim 36, wherein the reviewing component is configured to display retention information associated with the user information, said retention information specifying how long the user information will be retained by the first service provided by the network server.

Claim 38 (currently amended): The computer-readable storage media of claim 36, ~~wherein the service provided by the network server is a member of a policy group, and~~ wherein the reviewing component is configured to display a list of member services of said policy group.

Claim 39 (currently amended): The computer-readable storage media of claim 33, further comprising a revoking component for allowing the user to revoke consent for the first service provided by the network server to use the user-specific information stored in the profiling



component, said revoking component displaying a list of member services that the user has granted consent to use the user-specific information stored in the profiling component.

Claim 40 (currently amended): The computer-readable storage media of claim 33, further comprising a managed-consent component for providing the received user information to a responsible person of the user to allow the responsible person of the user to grant consent for the first service provided by the network server to use the received user information.